

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 9

REMARKS

Claims 78-93 and 95-100 are pending in the application. These claims have all been cancelled without disclaimer or prejudice to applicants' right to pursue patent protection for the subject matter thereof in a subsequent application. New claims 101-125 are submitted herewith for the Examiner's review and consideration. These claims are completely supported by the application as filed (see below) and thus they raise no issue of new matter. Therefore, entry of this Amendment into the file of the application is respectfully requested such that claims 101-125 will be pending.

In particular, support for the new claims 101-125 may be found, *inter alia*, in the specification as follows: claim 101: page 5, lines 4-7, page 11, lines 13-15, page 32, lines 1-20, page 65, lines 9-15, page 76, lines 19-21 and Figure 1; claim 102: page 12, lines 15-16; claims 103-106: page 13, lines 8-26; claims 107-109: page 14, lines 1-5; claim 110: page 53, line 35 to page 54, line 4; claim 111: see support for claims 101-110; claim 112: pages 77-78 and the Experimental Results; claim 113: page 5, lines 4-7, page 11, lines 13-15, page 15, lines 11-22, page 32, lines 1-20, page 65, lines 9-15, page 76, lines 19-21 and Figure 1; claim 114: page 5, lines 4-7, page 11, lines 13-15, page 15, line 26 to page 16, line 20, page 32, lines 1-20, page 65, lines 9-15, page 76, lines 19-21 and Figure 1; claims 115-117: page 17, lines 5-10; claims 118-119: page 18, lines 5-10; claims 120-121: page 55, lines 10-14; claim 122: page 93, lines 1-3; claim 123: page 54, lines 19-21, page 66, lines 4-14 and page 87, lines 27-30; claim 124: page 54, lines 19-21; and claim 125: pages 77-78 and the Experimental Results.

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 10

Objection to the Disclosure

The Examiner stated in ¶4 on page 2 of the Office Action that the prior objection to the disclosure is maintained for the reasons as set forth in the Office Action mailed June 10, 1996 (Paper No. 9). The Examiner further stated that applicants submit they will provide a new Figure 6B to overcome the rejection when the case is in condition for allowance. The Examiner additionally stated that until applicants submit a proper Figure, the objection is maintained.

In response to the above Objection, applicants submit they will provide a new Figure 6B upon the indication of allowable subject matter.

Obviousness-Type Double Patenting Rejection

The Examiner has provisionally rejected claims 78, 80-92 and 94-99 as being unpatentable under the judicially created doctrine of obviousness-type double patenting over claims 78, 80-92, 94, and 96-99 of copending Application No. 08/477,097 for the reasons made of record in Paper No. 23, mailed October 5, 1999 and in Paper No. 25, mailed June 19, 2000. The Examiner stated that the applicants argue that the claims of 08/477,097 do not render obvious the instant claims. The Examiner stated that applicants' arguments filed June 10, 1996 have been fully considered but they are not persuasive because applicants have provided no reasoning to dispute the obviousness set forth in previous Office Actions.

The Examiner has also provisionally rejected claims 78, 80-92 and 94-99 as being unpatentable due to obviousness-type double patenting over claims 109-122 of copending Application No. 08/477,147 for the reasons made of record in Paper No. 23, mailed October 5, 1999 and in Paper No. 25, mailed June 19,

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 11

2000. The Examiner stated that applicants argue that the claims of 08/477,147 do not render obvious the instant claims. The Examiner additionally stated that applicants' arguments filed June 10, 1996 have been carefully considered but they are not persuasive because applicants have provided no reasoning to dispute the obviousness set forth in previous Office Actions.

The Examiner has additionally provisionally rejected claims 78, 80-92 and 94-99 as being unpatentable due to obviousness-type double patenting over claims 97-99, 101-111, and 113-118 of copending Application No. 08/196,154 for the reasons made of record in Paper No. 23, mailed October 5, 1999 and in Paper No. 25, mailed June 19, 2000. The Examiner stated that applicants argue that the claims of 08/196,154 do not render obvious the instant claims. The Examiner additionally stated that applicants' arguments filed June 10, 1996 have been fully considered but they are not persuasive because applicants have provided no reasoning to dispute the obviousness set forth in previous Office Actions.

The provisional double-patenting rejections of claims 78, 80-92 and 94-99 of the present application over application Serial Nos. 08/477,097; 08/477,147 and 08/196,154 are respectfully traversed. In response to these rejections, applicants submit that M.P.E.P. §804 IB, in discussing provisional double-patenting rejections between copending applications, requires that the:

'provisional' double patenting rejection should continue to be made by the examiner in each application as long as there are conflicting claims in more than one application unless that 'provisional' double patenting rejection is the only rejection remaining in one of the applications. If the

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 12

'provisional' double patenting rejection in one application is the only rejection remaining in the application, the examiner should then withdraw that rejection and permit the application to issue as a patent, thereby converting the 'provisional' double patenting rejection in the other application into a double patenting rejection at the time one application issues as a patent. (emphasis supplied by applicants).

Applicants submit, therefore, for the reasons discussed below, that new claims 101-125 are believed to distinguish the invention over all of the references cited by the Examiner to reject claims 78-93 and 95-100, which rejections should therefore be withdrawn. Following such withdrawal, the only remaining rejection in this application would be the provisional double-patenting rejection of the claims. In accordance with the M.P.E.P. section quoted above, the provisional double-patenting rejection should thus be withdrawn to permit the application to issue as a patent. Such action is therefore respectfully solicited.

Claim Rejections Withdrawn

Applicants note with appreciation the Examiner's statement in ¶8 at page 4 of the Office Action that the rejection of claims 78-81, 83-93 and 95-100 under 35 U.S.C. 112, first paragraph, is withdrawn.

Applicants also wish to express their appreciation with regard to the Examiner's statement in ¶9 on page 4 of the Office Action that the rejection of claims 78-93, 95 and 97-99 under 35 U.S.C. 103(a) as being unpatentable over Livingston et al. (Cancer Research, 149:7045-7050, 1989) in view of Ritter et al. (Seminars in Cancer Biology, 2:401-409, 1991), Liane et al. (Immunobiol, 182:32-43, 1990), Livingston et al. (U.S. Patent No. 5,102,663), Ritter et al. (Immunobiol, 182:32-43,

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 13

1990), Kensil, et al. (The Journal of Immunology, 146(2):431-437, 1991), Marciani et al. (Vaccine, 9:89-96, 1991) and Uemura et al. (J Biochem, 79(6):1253-1261, 1976) is also withdrawn.

Applicants additionally wish to express their appreciation concerning the Examiner's statement in ¶10 at page 4 of the Office Action that the rejection of claim 96 under 35 U.S.C. 103(a) as being unpatentable over Livingston et al. (Cancer Research, 149:7045-7050, 1989) in view of Ritter et al. (Seminars in Cancer Biology, 2:401-409, 1991), Liane et al. (Immunobiol, 182:32-43, 1990), Livingston et al. (U.S. Patent No. 5,102,663), Ritter et al. (Immunobiol, 182:32-43, 1990), Kensil. Et al. (The Journal of Immunology, 146(2):431-437, 1991), Marciani et al. (Vaccine, 9:89-96, 1991) and Uemura et al. (J Biochem, 79(6):1253-1261, 1976) further in view of Irie et al. (U.S. Patent No. 4,577,931), is additionally withdrawn.

New Grounds of Rejection

The following new grounds of rejection are set forth by the Examiner in the Office Action.

In ¶11 of the Office Action, claims 78-92 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wiegand et al. U.S. Patent 5,599,914 issued Feb 4, 1997, filed Nov. 24, 1989 ("Wiegand") in view of Fiume et al., Critical Rev. Therapeutic Drug Carrier Systems, 2(2):265-284, 1998 ("Fiume"), Ritter et al., Seminars in Cancer Biology, 2:401-409, 1991 ("Ritter"), Kensil et al., The Journal of Immunobiology, 146(2):431-437, 1991 ("Kensil"), Marciani et al., Vaccine, 9:89-96, 1991 ("Marciani") and Uemura et al., J. Biochem, 79(6):1253-1261, 1976 ("Uemura").

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 14

With regard to the above-described rejection the Examiner stated in the Office Action that Wiegand discloses modified glycosphingolipids (GM3, GD3, GM2 and GM1). The Examiner stated that Wiegand discloses a method for chemical modification of the sphingoid portions of glycosphingolipids to make glycosphingolipids capable of coupling to proteins, citing to the Abstract of the disclosure. The Examiner stated that Wiegand discloses that the method of chemical modification is that of ozonolysis at the C-4 double-bond of the sphingosine base resulting in the formation of a reactive aldehyde species (citing to col.2, line 43- col.3, line 67). The Examiner stated that Wiegand discloses that the aldehyde group is susceptible to reductive animation. The Examiner stated that Wiegand fails to disclose conjugation of the modified glycosphingolipid to KLH via an amine linkage between the C-4 carbon of the sphingosine base and an ϵ -aminolysyl group of KLH. The Examiner additionally stated that Wiegand also fails to disclose a composition that comprises a saponin derivable from the bark of the Quillaja saponaria Molina Tree (QS-21).

The Examiner also stated that Fiume (1998) teaches that reductive amination of reactive aldehyde species with proteins having ϵ -lysine groups is well known in the art (citing to page 268-269). The Examiner stated that specifically, Fiume teaches that the aldehyde group of a galactosyl residue may be reacted with an ϵ -lysine of a protein.

The Examiner also stated that Ritter teaches that IgG responses to gangliosides may be increased by the covalent attachment of foreign carrier proteins such as KLH to the gangliosides resulting in the T cell help necessary for the

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 15

response (citing to page 406, ¶1). The Examiner stated that Ritter teaches that the advantage of inducing an IgG antibody response (vs. IgM) against gangliosides is that IgG: a) has a higher affinity, b) is better able to penetrate solid tissues, c) is able to mediate antibody-dependent cell-mediated cytotoxicity, and d) is generally detectable in the serum for longer periods after immunization.

The Examiner further stated that Kensil et al. teach that QS-21 (i.e., the instant carbohydrate derivable from the bark of a Quillaja saponaria Molina tree) produced a higher antibody response than conventional aluminum hydroxide (citing to page 433, column 2, ¶4, and Figure 3). The Examiner stated that Kensil et al. also teach that the immune responses obtained with QS-21 reached a plateau at doses between 10-80 µg in mice (citing to page 433, column 1, ¶3).

The Examiner then stated that Marciani et al. teach that the use of QS-21 adjuvant was useful because it did not cause a toxic reaction in cats (page 93, paragraph 1).

The Examiner additionally stated that Uemura et al. teach that the ozonolysis and reduction of various sphingolipids did not affect the haptenic reactivity of the ganglioside derivative with antibodies.

The Examiner therefore concluded that it would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made to have used the modified glycosphingolipids of Wiegand to make glycoconjugates that are the same as those claimed. The Examiner stated that Wiegand teaches a modified glycosphingolipid that has a reactive aldehyde group (at the C-4 position of the sphingosine base)

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 16

that may be used for coupling to proteins as taught by Fiume, because Fiume demonstrates that methods of reductive animation to link proteins, via ϵ -lysine residues, to reactive aldehyde groups is known in the art. The Examiner stated that because Wiegand teaches a method of ozonolysis that results in the formation of a reactive aldehyde species, the bond that would be formed between the C-4 carbon of the sphingosine base and the KLH would be an amino linkage that would cause the C-4 carbon to be present in a CH_2 group. The Examiner went on to state that it would have been further *prima facie* obvious to one of ordinary skill in the art to have use KLH as the protein carrier because, as Ritter teaches, attachment of gangliosides to carrier proteins such as KLH increases IgG responses to gangliosides. The Examiner additionally stated that it also would have been *prima facie* obvious to one of ordinary skill in the art to add QS-21, because, as taught by Kensil, it provides for a higher antibody response, and QS-21 provides the advantages that it is not toxic to animals (citing to the Marciani reference). The Examiner additionally stated that it also would have been *prima facie* obvious to optimize the doses of QS-21 in the composition, and also that it would have been *prima facie* obvious to one of ordinary skill in the art to optimize the weight ratio of the components of the composition to provide an optimal response.

The Examiner further stated that one would have reasonably expected the conjugation procedure to work as substituted because the conjugation through the ϵ -aminolysyl groups of carrier proteins for enhanced immunogenicity is routine in the art and, as Uemura teaches, ozonolysis and reduction of various sphingolipids does not affect the haptenic reactivity with antibodies.

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 17

Applicants respectfully traverse this new ground of rejection. The invention recited in the new claims 101-125 submitted herewith is not suggested to one of ordinary skill in this field of art by the disclosure of the above-cited references, whether they are taken alone or in combination, for the reasons set forth below.

Turning first to Wiegand, the subject reference is directed to the chemical modification of the sphingoid portions of glycosphingolipids and the subsequent coupling of such modified glycosphingolipids to other molecules, such as proteins. The glycosphingolipids useful in the process disclosed by the reference, however, are disclosed in a generic fashion with no teaching or suggestion that any particular species within this genus would perform more effectively than any other, i.e., when linked to form an immunoconjugate composition such as is taught and claimed in the present invention. The broad scope of disclosure is demonstrated in, for example, Example B of the reference (commencing at column 5), which describes, *inter alia*, the preparation and subsequent coupling of reductively aminated ozonolysis products of the gangliosides GM3, GD3, GM2 and GM1. No particular ganglioside is described as being preferred or as performing more effectively than any of the other gangliosides falling within the scope of the reference. In particular, there is no teaching or suggestion that the modification and conjugation of, specifically, the GD3 lactone ganglioside (as specifically recited in applicants' new independent claims) would produce a composition having properties superior in any fashion to those obtained with any other(s) of the gangliosides falling within the scope of the genus of glycosphingolipids disclosed in the reference.

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 18

Several additional features which further distinguish the invention from the Wiegand reference are pointed out by the Examiner herself in the Office Action. In particular, the Examiner stated (as noted above) on p. 5 of the Action that: (i) Wiegand fails to disclose conjugation of the modified glycosphingolipid to KLH, (ii) Wiegand fails to disclose conjugation via an amine linkage between the C-4 carbon of sphingosine base and an ϵ -aminolysyl group of KLH, and (iii) Wiegand also fails to disclose a composition comprising a saponin derivable from the bark of a Quillaja saponaria Molina tree (i.e., QS-21).

The presently claimed invention is thus distinguishable and therefore patentable over Wiegand on several grounds as summarized below. First, the Wiegand reference contains no teaching or disclosure which would suggest to one of ordinary skill in this art to use, in particular, the GD3 lactone ganglioside derivative specifically recited in applicants' independent claims, in an immunoconjugate of the present invention. Second, there is no disclosure in the Wiegand reference which teaches or even suggests the conjugation of a (modified) glycosphingolipid with, as claimed, Keyhole Limpet Hemocyanin ("KLH") or a derivative thereof (chosen from among Keyhole Limpet Hemocyanin linked to an immunological adjuvant, a non-ionic block copolymer or a cytokine), as also recited in applicants' independent claims). That is, the only particular example of such a protein disclosed in Wiegand is human serum albumin ("HSA") (see, e.g. col. 5, lines 25-30). Third, there is no disclosure in Wiegand which would suggest the formation of a GD3 lactone - KLH (or KLH derivative)-QS21 conjugate. As noted above, the Office Action states (see p. 5) that Wiegand fails to disclose a composition that comprises a saponin

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 19

derivable from the bark of a Quillaja saponaria Molina tree, i.e., QS-21. Fourth, it is not obvious from the disclosure of the reference that a vaccine comprised of a conjugate of a GD3 lactone ganglioside derivative coupled to KLH (or a KLH derivative), and a saponin derivable from the bark of a Quillaja saponaria Molina tree would provide a superior immunogenic effect in human cancer patients.

More particularly, with regard to the issue whether it would be obvious to one of ordinary skill in this art to couple a GD3 lactone ganglioside to KLH, the Examiner as noted above stated in the Office Action that Wiegand does not teach or suggest such a construct. The Examiner thus has cited the Ritter reference in an effort to supply this missing element. There is, however, no teaching in either the Wiegand reference or the Ritter reference to suggest the combination of their disclosures. The references, moreover, teach away from such a combination in that, while Wiegand does disclose the conjugation of a modified glycosphingolipid to a carrier, the particular carrier taught for use with the Wiegand invention is human serum albumin ("HSA"), see, e.g., Example B at column 5, lines 24-28. In contrast, Ritter discloses the use of Keyhole Limpet Hemocyanin ("KLH") as the immunogenic carrier protein. There is thus no teaching within the references which, as required, supports the Examiner's proposed combination thereof.

Further to the above, there is also no disclosure contained in the remaining references cited to reject the claims to suggest to one of ordinary skill in this art the formation of a GD3 lactone -KLH (or KLH derivative) conjugate in combination with QS-21. The Examiner acknowledged in the Office Action (see p. 5) that Wiegand fails to disclose a composition comprising a

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 20

saponin derivable from the bark of a Quillaja saponaria Molina tree. Ritter also contains no such disclosure. The Examiner thus cited the Kensil and Marciani references for their disclosure (noted above) concerning QS-21. Neither of these references, however, discloses the conjugation of a modified ganglioside derivative with an immunogenic protein carrier such as KLH or a derivative thereof. Moreover, as demonstrated by the Experimental Results described in the present application, the inclusion of the QS-21 adjuvant in the claimed composition provides unexpectedly improved results over those obtainable with the use of other known adjuvants. Applicants submit, therefore, that these improved results serve as evidence that the inclusion of the QS-21 adjuvant in a composition comprising the GD3 lactone-KLH (or KLH derivative) conjugate, would not be obvious to one of ordinary skill in this art.

In summary, therefore, as recognized by the Examiner in her Office Action and as further established by the arguments provided herein, the combination of Wiegand with any or all of the Ritter, Kensil and Marciani references neither teaches nor suggests the formation of a GD3 lactone-KLH (or KLH derivative) conjugate in combination with QS-21 utilizing the specific mode of linking the conjugate together as recited in the claims. For these reasons, the invention as presently claimed is believed to patentably distinguish over the cited references.

Moreover, the Experimental Results achieved with the use of applicants' invention and which are disclosed in applicants' specification, thus conclusively demonstrate that the presently claimed composition incorporating a GD3 lactone ganglioside derivative is very successful in stimulating or

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 21

enhancing the production of antibodies in human subjects, so as to treat and/or prevent cancers such as melanomas in such human subjects. In contrast, however, applicants attach hereto as Exhibit A a copy of a paper by Ragupathi, et al., "Induction of Antibodies Against GD3 Ganglioside in Melanoma Patients By Vaccination With GD3-Lactone-KLH Conjugate Plus Immunological Adjuvant QS-21", Int. J. Cancer: 85, 659-666 (2000). Exhibit A clearly demonstrates that, whereas GD3-lactone-based compositions were useful in inducing antibody formation in such melanoma patients, compositions based on the GD3 ganglioside were **NOT** effective for this purpose. In particular, the authors stated, at p. 665, second column, ¶2, lines 18-21, that, "GD3-KLH failed to induce antibody against GD3, suggesting that tolerance to GD3 as a consequence of expression of GD3 on a variety of human tissues could be broken by GD3-L but not by GD3". (emphasis supplied by applicants). Applicants submit, therefore, that the beneficial results achieved with the use of the GD3-lactone based ganglioside derivatives, in contrast to the results achieved with the use of a comparable GD3 derivative, provide convincing evidence that the presently claimed invention is **NOT** obvious to one of ordinary skill in this art over the cited references, whether such references are taken alone or in any combination.

Applicants therefore submit, for the preceding reasons, that the invention as presently claimed is distinguishable over the Wiegand, Ritter, Kensil and Marciani references cited in combination to reject claims 78-92. Whether the references are taken individually or in combination, the arguments above clearly support applicants' position that the invention as presently claimed is not obvious over the disclosure of the

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 22

cited prior art.^{1,2} Moreover, as discussed in the footnotes below, neither the Fiume nor the Uemura references, cited by the Examiner in combination with the Wiegand, Ritter, Kensil and Marciani references to reject claims 78-92, supply the elements missing from the above-discussed references in a manner so as to render the invention as now claimed obvious to one of ordinary skill in this art. The Examiner is thus respectfully requested to reconsider and withdraw her rejection of claims 78-92 based upon the references discussed above.

In ¶12 of the Office Action, claims 78, 93, 95-100 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wiegand, Fiume, Livingston et al., Cancer Research, 149:745-750, 1989 ("Livingston") in view of Ritter, Livingston et al. U.S. Patent No. 5,102,663 (Livingston '663 patent), Kensil, Marciani and Uemura.

With regard to this rejection the Examiner stated that as discussed in ¶11 of the Office Action, Wiegand in combination

1 The Fiume reference cited by the Examiner in combination with the other references discussed above to reject the claims relates to the placement of an aldehyde derivative on the sugar portion of a sphingolipid, and linking this structure to an ϵ -amino group of lysine located upon a protein. The Examiner's suggestion on p. 5 of the Office Action that Fiume has a more generic teaching, i.e., that it teaches that reductive amination of reactive proteins having ϵ -lysine groups is well known in the art, is not supported by the disclosure of the reference, which is limited to the chemistry of sugar-based compositions. Moreover, as shown for example in the paper by Ritter et al., attached hereto as **Exhibit B**, entitled, "Antibody Response to Immunization With Purified GD3 Ganglioside and GD3 Derivatives (Lactones, Amide and Gangliosidol) in the Mouse", Immunobiol. 182, 32-43 (1990) it was well known in the art that at least as of the date of the reference the conjugation of ganglioside derivatives through the sugar portion did not provide a composition effective for stimulating or enhancing the production of antibodies. (see, e.g. Table I on p. 34).
2 Further according to the Examiner (at p. 6 of the Office Action) the Uemura reference additionally cited in combination with the other above-discussed references to reject the claims teaches that the ozonolysis and reduction of various sphingolipids did not affect the haptenic activity of the ganglioside derivative with antibodies. The Ragupathi et al. reference attached as **Exhibit A**, however, demonstrates that the Examiner's statement is not generally correct since the GD3-based conjugate, formed with ozonolysis and reduction of the sphingolipid, "[f]ailed to induce antibody against GD3" (see p. 665), thus demonstrating that haptenic activity of certain sphingolipids can be negatively affected by such ozonolysis and reduction.

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 23

with Fiume teaches a glycoconjugate as claimed in claim 78.

The Examiner additionally stated that Livingston teaches that melanoma recurrence was delayed in patents developing GM2 antibodies after treatment with the composition (citing to page 7048, ¶1 and column 2, ¶2). The Examiner stated that Livingston et al. teach that more patients produced IgM antibodies than IgG antibodies to the GM2 (citing to page 7047, paragraph bridging columns 1-2). The Examiner additionally stated that Livingston et al. also teach the gangliosides GM2, GD2 and GD3 are expressed on the cell surface of human malignant melanomas (citing to page 7045, column 1, ¶2).

The Examiner stated that Ritter teaches that IgG responses to gangliosides may be increased by the covalent attachment of foreign carrier proteins such as KLH to the gangliosides resulting in the T cell help necessary for the response (citing to page 406, ¶1). The Examiner stated that Ritter teaches that the advantage of inducing an IgG antibody response (vs. IgM) against gangliosides is that IgG: a) has a higher affinity, b) is better able to penetrate solid tissues, c) is able to mediate antibody-dependent cell-mediated cytotoxicity, and d) is generally detectable in the serum for longer periods after immunization.

The Examiner stated that the Livingston '663 patent teaches that gangliosides GM3, GM2, GD3, GD2, GT3 and O-acetyl GD3 are gangliosides that are prominent cell-membrane components of melanoma and other tumors of neuroectodermal origin (citing to column 1, lines 22-28).

The Examiner stated that Kensil et al. teach that QS-21 (i.e.

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 24

the instant carbohydrate derivable from the bark of a Quillaja Saponaria Molina tree) produced a higher antibody response than conventional aluminum hydroxide (citing to page 433, column 2, paragraph 4, and Figure 3). The Examiner additionally stated that Kensil et al. also teach that the immune responses obtained with QS-21 reached a plateau at doses between 10-80ug in mice (citing to page 433, column 1, ¶3).

The Examiner further stated that Marciani et al. teach that QS-21 adjuvant was useful because it did not cause a toxic reaction in cats (citing to page 93, ¶1).

The Examiner next stated that Uemura teaches that ozonolysis and reduction of various sphingolipids did not affect the haptenic reactivity of the ganglioside derivative with antibodies.

The Examiner then stated that it would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made to have used the modified glycosphingolipids of Wiegand to make glycoconjugates that are the same as those claimed, and then to have used the glycoconjugates in compositions for stimulating or enhancing antibody production or in a method of treating cancer, because Livingston teaches that melanoma recurrence is delayed in patients developing GM2 antibodies after treatment with vaccines comprising GM2 (citing to page 7047, ¶1 and column 2, ¶2). The Examiner stated that Livingston et al. teach that more patients produced IgM antibodies than IgG antibodies to the GM2 (citing to page 7047, paragraph bridging columns 1-2). The Examiner stated that Livingston et al. also teach that the gangliosides GM2, GD2 and GD3 are expressed on the cell

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 25

surface of human malignant melanomas (citing to page 7047, column 1, ¶2). The Examiner stated that it would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made to have added QS-21 as an adjuvant to the GM-2-KLH conjugate for use as a vaccine because the conjugated composition would be expected to enhance the IgG response to the ganglioside, as taught by Ritter et al. (1991), thus providing the advantages described by Ritter et al. (1991) and, as Kensil teaches, adding the QS-21 is advantageous because it provides for a higher antibody response than the commonly used adjuvant. The Examiner stated that also, QS-21 provides the advantages that it is not toxic to animals (citing to the Marciani reference).

The Examiner then went on to state that it also would have been *prima facie* obvious to optimize the doses of QS-21 in the composition and that it would additionally have been *prima facie* obvious to one of ordinary skill in the art to optimize the weight ratio of the components of the composition to provide an optimal response.

The Examiner then stated that one would have reasonably expected the conjugation procedure to work as substituted because conjugation through the ϵ -aminolysyl groups of carrier proteins for enhancing immunogenicity is routine in the art and, as Uemura teaches, ozonolysis and reduction of various sphingolipids does not affect the haptenic reactivity with antibodies.

The Examiner further stated that it also would have been *prima facie* obvious to one of ordinary skill in the art to substitute any one of GM3, GD2, GD3, or O-acetyl GD3 for the GM2 ganglioside in the composition and method as combined

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 26

supra because they are all prominent cell-membrane component of melanomas as taught by the Livingston '663 patent. The Examiner also stated that optimization of the dosage, the route of immunization, and the number of sites of immunization to administer the composition is well within the skill of the ordinary artisan.

The Examiner stated that one would reasonably have expected the conjugation procedure to work as substituted because conjugation through the ϵ -aminolysyl groups of carrier proteins for enhancing immunogenicity is routine in the art and Uemura teaches that the ozonolysis and reduction of various sphingolipids did not affect the haptenic reactivity with antibodies.

Applicants respectfully traverse the above-cited ground for rejection of claims 78, 93, and 95-100. In the discussion above with respect to the previous ground of rejection, applicants established that their invention is patentably distinguishable over six of the eight references cited in combination to reject claims 78-92, i.e., Wiegand, Fiume, Ritter, Kensil, Marciani and Uemura. The arguments concerning these references will not be repeated here, although these arguments are specifically incorporated herein by reference. The two new references in the combination are Livingston et al., Cancer Research, 149: 7045-7050 (1989) ("Livingston") and Livingston et al. U.S. Patent No. 5,102,663 ("the Livingston '663 patent"). As discussed below, neither Livingston nor the Livingston '663 patent, taken in combination with the other six references discussed above, would have rendered the invention as presently claimed obvious to one of ordinary skill in this field of art.

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 27

The Livingston reference was cited by the Examiner for its disclosure (1) concerning the effect of GM2 antibodies on melanoma recurrence, (2) that more patients produced IgM antibodies than IgG antibodies to the GM2, and (3) that the gangliosides GM2, GD2 and GD3 are expressed on the cell surface of human malignant melanomas. The reference does not, however, provide the elements missing from the disclosure of the six references previously discussed above, i.e., there is no teaching or suggestion in Livingston to form a composition comprising a conjugate of a GD3 lactone ganglioside derivative to Keyhole Limpet Hemocyanin, or a derivative thereof, in combination with a saponin derivable from the bark of a Quillaja saponaria Molina tree, wherein in the conjugate the ganglioside derivative is covalently bound to the KLH (or the derivative) through a C-4 carbon of the ceramide portion of the derivative to the ϵ -aminolysyl group of the KLH (or the derivative). These features of the invention are found in each of the new independent claims of the application, including method claim 113 directed to a method of stimulating or enhancing production of an antibody using a GD3 lactone ganglioside derivative, claim 114 directed to a method of treating a cancer in a subject, and claim 125 directed to a method of delaying recurrence of melanoma in subjects at risk of relapse of melanoma, but not within the cited references. Thus as the Livingston reference fails to provide the elements of the claimed invention missing from the cited prior art, new claims 101-125 are believed to distinguish the invention over the reference, whether taken alone or in the combination relied upon by the Examiner.

The Livingston '663 patent teaches that certain gangliosides (i.e., GM3, GM2, GD2, GD3, GT3 and O-acetyl GD3) are prominent cell-membrane components of melanoma and other tumors of

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 28

neuroectodermal origin. In like manner to the Livingston reference discussed above, the subject Livingston '663 patent neither discloses nor suggests the composition set forth in applicants' new claims wherein the conjugate is linked in the manner recited, nor the methods claimed for using the claimed composition for stimulating or enhancing antibody production, for treating cancer and for preventing relapse of melanoma in subjects at risk of such relapse. Therefore, the invention as recited in applicants' claims 101-125 is also clearly patentably distinct over the Livingston '663 patent, taken alone or in combination with the other cited references relied upon by the Examiner. The Examiner is thus respectfully requested to reconsider and withdraw the rejection of claims 78, 93 and 95-100 based upon the cited combination of references.

In ¶13 of the Office Action claim 96 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wiegand in view of Fiume, and Livingston in view of Ritter, the Livingston '663 patent, Kensil, Marciani and Uemura as applied to claims 78, 80-92, 94 and 96-99 above and further in view of Irie et al. U.S. Patent No. 4,577,931 ("the Irie '931 patent").

With regard to this rejection, the Examiner stated that the teachings of Wiegand, Fiume, Livingston, Ritter, Livingston '663 patent, Kensil and Uemura are already discussed in the Office Action. The Examiner stated that the combination differs [i.e., from the invention] by not teaching the administration of the composition for treating cancer of epithelial origin. The Examiner stated that Irie teaches that the ganglioside GM2 is found on or in tumors of a variety of histological types including melanoma and breast carcinomas (citing to column 1, lines 28-31).

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 29

The Examiner stated that it would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made to administer the GM-2-KLH conjugate/QS-21 composition or other ganglioside conjugate/QS-21 composition as combined *supra* to patients afflicted with or susceptible to a recurrence of cancer of an epithelial origin (i.e., breast carcinomas) because the ganglioside GM-2 is found in the stroma of the tumor as taught by Irie and one of ordinary skill in the art would expect that the antibodies produced by the composition react with the tumor and treat the disease.

Applicants respectfully traverse this rejection for the reasons set forth below. The newly cited reference relied upon in the rejection of claim 96 is the Irie '931 patent. Each of the other references cited in combination with the Irie '931 patent to reject applicants' claim 96 is discussed and distinguished above. Thus these arguments are not repeated here, although they are specifically incorporated by reference into this discussion by reference thereto.

The Irie '931 patent is cited, as noted above, for its disclosure that the ganglioside GM2 is found on or in tumors of a variety of histological types, including melanomas and breast carcinomas. This reference, however, does not provide the elements missing from the references discussed above, i.e., the Irie '931 patent does not disclose or suggest the claimed composition comprising a conjugate covalently bound as recited in the claims, and also including a saponin derivable from the bark of a *Quillaja saponaria* Molina tree, or the method of using such composition to enhance or stimulate antibody production, to treat cancer, or to prevent relapse of melanoma in patients at risk of such relapse. For this reason,

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 30

the claims (nos. 101-125) submitted herewith are believed to patentably distinguish the invention over the Irie '931 patent, taken alone or in the combination relied upon by the Examiner to reject the claims. The Examiner is thus respectfully requested to reconsider and withdraw the rejection of claim 96 under 35 U.S.C. 103(a).

Summary

For the reasons set forth hereinabove, applicants respectfully request that the Examiner reconsider and withdraw the various grounds of objection and rejection set forth in the Office Action and earnestly solicit allowance of the now pending claims, i.e., claims 101-125.

If a telephone interview would be of assistance in advancing prosecution of the subject application, applicants' attorneys invite the Examiner to telephone either of them at the number provided below.

Applicants: Philip O. Livingston and Friedhelm Helling
Serial No.: 08/475,784
Filed : June 7, 1995
Page 31

A \$465.00 fee for a three-month extension of time is deemed necessary in connection with the filing of this response. A check in the amount of \$465.00 is therefore enclosed. If any additional fees are required, authorization is hereby given to charge the amount of the required fee to Deposit Account No. 03-3125.

Respectfully submitted,

Mark A. Farley

I hereby certify that this correspondence is being deposited this date with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Mark A. Farley 2/27/03
Date

John P. White
Reg. No. 28,678
Mark A. Farley
Reg. No. 33,170

John P. White
Registration No. 28,678
Mark A. Farley
Registration No. 33,170
Attorneys for Applicant(s)
Cooper & Dunham, LLP
1185 Avenue of the Americas
New York, New York 10036
(212) 278-0400